

RECEIVED
CENTRAL FAX CENTER

AUG 18 2005

Law Offices of

SENNIGER POWERS

One Metropolitan Square, 16th Floor
St. Louis, Missouri 63102Telephone (314) 231-5400
Facsimile (314) 231-4342

FACSIMILE TRANSMITTAL COVER SHEET

DATE: August 18, 2005 ATTORNEY DOCKET NUMBER: GAM 6410.1
PTO FACSIMILE NUMBER: 571-273-8300PLEASE DELIVER THIS FACSIMILE TO: Shobha Kantamneni
THIS FACSIMILE IS BEING SENT BY: Kofi Adzali
NUMBER OF PAGES: 2 INCLUDING COVER SHEETTIME SENT: _____ OPERATOR'S NAME Darlene Pearman

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to
the Patent and Trademark Office on the date shown below.Darlene Pearman

Typed or printed name of person signing certification

August 18, 2005

Signature

Date

Type of paper transmitted: Status InquiryApplicant's Name: Graham Alan MarchSerial No. (Control No.): 10/622,891 Examiner: Shobha KantamneniFiling Date: 07/17/03 Art Unit: 1617 Confirmation No. 2751Application Title: Pharmaceutical Composition and Method for
Treatment of a Urea Cycle Deficiency or
Sickle Cell AnaemiaIF YOU DO NOT RECEIVE ALL PAGES CLEARLY, CALL BACK AS SOON AS
POSSIBLE. CONFIRMING NUMBER IS (314) 231-5400.

RECEIVED
CENTRAL FAX CENTER

AUG 18 2005

GAM 6410.1
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of Graham Alan March
Serial No. 10/622,891
Filed July 17, 2003
Confirmation No. 2751

Art Unit 1617

For PHARMACEUTICAL COMPOSITION AND METHOD FOR TREATMENT
OF UREA CYCLE DEFICIENCY OR SICKLE-CELL ANAEMIA

August 18, 2005


STATUS INQUIRY

TO THE COMMISSIONER FOR PATENTS,
SIR:

More than twenty-five (25) months have passed since the filing of this application on July 17, 2003. No communication has been received from the Patent and Trademark Office indicating action on this application.

Please advise the undersigned of the present status of this application.

Respectfully submitted,



Kofi Adzamli, Reg. No. 52,545
SENNIGER POWERS
One Metropolitan Square, 16th Floor
St. Louis, Missouri 63102
(314) 231-5400